

FIRST AID TREATMENT

General information: If swallowed call a doctor immediately.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Following inhalation: Remove person to fresh air and keep comfortable for breathing.

Following skin contact: Wash with soap and water.

Following eye contact: In case of eye irritation consult an ophthalmologist.

Rinse immediately carefully and thoroughly with eyebath or water.

Following ingestion: Never give anything by mouth to an unconscious person or a

person with cramps. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

SYMPTOMS OF POISONING

Excitement, gastrointestinal discomfort, tremor, dizziness, headache, listlessness, nausea and vomiting, epigastric pain, muscular fasciculation of limbs, unconsciousness, convulsions and coma (very high doses).

NOTE TO PHYSICIAN

Treat Symptomatically.

READ THE LABEL BEFORE USE AND KEEP OUT OF REACH OF CHILDREN AND ANIMALS



Reg. No. L11636 Act No. 36 of 1947

CONTROLS FLYING AND CRAWLING INSECTS

A fogger insecticide that kills Cockroaches (German and American), Tobacco Beetle, Confused Flour Beetle, Fleas, Flies, Mosquitoes, Bedbugs, Ants, Grain Weevil (Sitophilus granarius) and Meal moths (Plodia).

IRAC INSECTICIDE GROUP CODE 3A

(d-phenothrin & Imiprothrin) / 7C (Pyriproxyfen)

NATIONAL POISON CENTER: +27 (0) 861 555 777

Active ingredients:

D-phenothrin ----- 1,0g / kg
Imiprothrin ----- 0,5g / kg
Pyriproxyfen ----- 0,05g / kg
Piperonyl Butoxide ----- 7,5g / kg

HAZARD STATEMENTS:

- Flammable Aerosol. Pressurized container: may burst if heated.
- Highly flammable liquid and vapour.
- May be harmful if swallowed and enters airways.
- Causes serious eye irritation.
- Harmful if inhaled.
- May cause respiratory irritation.
- Very toxic to aquatic life with long lasting effects.

330 ml



REGISTERED AND MANUFACTURED BY:

Registered and Manufactured by:
Pathogen and Environmental
Solutions (Pty) Ltd
Reg: 2011/006448/07
Unit 37 Silver Park, Silver Street,
Brackenfell Industria, Cape Town.
7560
Tel. No. +27 (0) 21 982 8689
Emergency Telephone number:
+27 (0) 83 295 1313

WARNINGS

- Handle with care.
- May cause irritation of the skin, eyes, mucous membranes and skin sensitization. Very toxic to aquatic organisms.
- Keep out of reach of children and animals.
- **HIGHLY FLAMMABLE:** Avoid sparks and open flames. Do not leave on or near hot surfaces or expose to temperatures exceeding 50°C or direct sunlight. Do not place on electrical installations. Pressurised: Do not puncture or burn container, even when empty.

PRECAUTIONS

- Avoid skin contact and excessive inhalation. Do not use in the presence of persons with known sensitivity to pyrethroids. In cases of signs of sensitivity, obtain medical advice.
 - Wash hands with soap and water after use. After accidental contact with skin, wash with copious amounts of water and soap.
 - Do not eat, drink or smoke whilst applying or before washing hands. Avoid contamination of food, feeds, drinking water and eating utensils.
 - Remove or cover exposed food, dishes, utensils and food processing equipment, also cover surfaces which come in direct contact with food.
 - Do not contaminate dams, drains, ponds, streams and other waterways with the product or used containers.
- Wear respirators, goggles and protective clothing, if entering area during application. Remove pets and cover or remove aquaria and all humans must evacuate area to be treated.
- May stain plastic material and polished surfaces.

DIRECTIONS FOR USE

USE ONLY AS DIRECTED. DO NOT DEPRESS ACTUATOR UNTIL READY FOR USE.

- Close doors and windows of the room to be treated. Switch off ventilation.
- Ensure all applicable precautionary measures have been taken.
- Open all cupboards, cabinets and doors to ensure access to those areas to be treated.
- Use one 330ml can per 160 m³. Once the trigger is pressed, total content is released.

1. Place can on a table or stand, in the centre of the area to be treated. Cover surfaces close to the fogger can with layers of newspaper, or towels.
2. Point nozzle away and depress actuator until it locks in position (nozzle spray straight up). Set fogger upright and place on centre of covered stand. Immediately leave the room, closing the door. **Keep treated area closed for at least three hours.**
3. **Ventilate the area for 30 minutes by opening doors and windows, before re-occupation.**

Date manufactured: see container

Expiry date: see container

Batch No.: see container

UN No.: 1950



ANGER